United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/789,262	02/27/2004	Martin Deitch	CHA920030034USI 9375		
	590 03/14/200 ARNICK & D'ALESS	EXAMINER			
75 STATE STRI		PATEL, SHAMBHAVI K			
14TH FLOOR ALBANY, NY 1	12207	ART UNIT	PAPER NUMBER		
,,,,,,,			2128		
SHORTENED STATUTORY	PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MON	ITHS	03/14/2007	PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Applicatio	n No.	Applicant(s)				
Office Action Summary		10/789,26	2	DEITCH, MARTIN				
		Examiner.		Art Unit				
		Shambhav	Patel	2128				
Period fo	The MAILING DATE of this communication or Reply	appears on the	cover sheet with the c	orrespondence addre	ss			
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR RECHEVER IS LONGER, FROM THE MAILING asions of time may be available under the provisions of 37 CF SIX (6) MONTHS from the mailing date of this communication of period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by some to reply within the set or extended period for reply will, by some period by the Office later than three months after the need patent term adjustment. See 37 CFR 1.704(b).	G DATE OF TH FR 1.136(a). In no ever n. eriod will apply and will statute, cause the appli	S COMMUNICATION nt, however, may a reply be time expire SIX (6) MONTHS from the cation to become ABANDONE	N. nely filed the mailing date of this comm D (35 U.S.C. § 133).				
Status								
1)⊠	Responsive to communication(s) filed on 1	19 December 20	06					
2a)⊠	<u> </u>	This action is no						
3)□								
<u>ا</u> ر	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposit	ion of Claims	•		·				
-		ation						
4)[Claim(s) <u>1-22</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration.							
5)□	Claim(s) is/are allowed.	idiawii iioiii ooi						
,—	Claim(s) 1-22 is/are rejected.							
7)	Claim(s) is/are objected to.							
7)□ □(8	Claim(s) are subject to restriction a	nd/or election re	auirement		•			
ا (٥	are subject to restriction at	na/or ciconomic	quiromont.					
Applicat	ion Papers							
. 9)□	The specification is objected to by the Exar	miner.		•				
10)□	The drawing(s) filed on is/are: a)	accepted or b)[objected to by the	Examiner.				
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority	under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:								
	1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No							
	3. Copies of the certified copies of the	priority docume	nts have been receiv	ed in this National St	age			
	application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.								
				•				
Attachmer	nt(s)							
	ce of References Cited (PTO-892)	4) Interview Summary						
	ce of Draftsperson's Patent Drawing Review (PTO-948	8)	Paper No(s)/Mail D 5) Notice of Informal F					
•	mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date		6) Other:	F F T T T T T T T T T T T T T T T T T T				

Art Unit: 2128

DETAILED ACTION

1. This Office Action is response to the Arguments submitted 19 December 2006.

2. Claims 1-22 are pending.

Response to Arguments

- 3. The objection to claim 21 is withdrawn in view of the Applicant's amendment.
- 4. Applicant's arguments filed 19 December 2006 have been fully considered but they are not persuasive.

Regarding the 35 U.S.C. 101 rejection:

i. MPEP 2106 states (emphasis added):

The <u>tangible requirement</u> does not necessarily mean that a claim must either be tied to a particular machine or apparatus or must operate to change articles or materials to a different state or thing. However, the <u>tangible requirement does require that the claim must recite more than a 35 U.S.C. 101 judicial exception, in that the process claim must set forth a practical application of that judicial exception to <u>produce a real-world result</u>. Benson, 409 U.S. at 71-72, 175 USPQ at 676-77 (invention ineligible because had "no substantial practical application."). "[A]n application of a law of nature or mathematical formula to a ... process may well be deserving of patent protection." Diehr, 450 U.S. at 187, 209 USPQ at 8 (emphasis added); see also Corning, 56 U.S. (15 How.) at 268, 14 L.Ed. 683 ("It is for the discovery or invention of some practical method or means of producing a beneficial result or effect, that a patent is granted ..."). In other words, the opposite meaning of "tangible" is "abstract."</u>

The claimed invention as a whole must >be useful and< accomplish a practical application. That is, it <u>must produce a "useful, concrete and tangible result.</u>" State Street, 149 F.3d at *>1373-74<, 47 USPQ2d at 1601-02.

The Examiner agrees with the Applicant's assertion that the present invention has a present application. However, contradictory to the Applicant's assertion, section 2106 of the MPEP requires that the invention produce a useful, concrete, and tangible result.

The Applicant submits that the present invention is tangible. However, the Examiner maintains that calculating a resource percentage, time slice percentage, CP percentage, and causing the simulated computer to not dispatch CPs to the LPAR if the CP

Art Unit: 2128

percentage is greater than the time slice percentage does not produce a tangible result because the claimed subject matter fails to produce a result that is limited to having real world value rather than a result that may be interpreted to be abstract in nature as, for example, a thought, a computation, or manipulated data

Regarding the 35 U.S.C. 102 and 103 rejections:

ii. Applicant submits that the cited portion (page 573 paragraph 1) does not disclose calculating a time slice percentage based on the resource percentage. However, the paragraph recites (emphasis added)

Multiplying by the number of work units converts the average to a total demand. Dividing by the number of logical CPUs adjusts for the available CPU capacity

Thus, the calculation does account for the CPU resources.

- iii. Applicant submits that Rooney exhitbits the lack of considering the interaction and/or the variability of capacity of other LPAR's. Applicant is directed to the section entitled "LPAR CPU Management" in the Rooney reference, which discloses setting weights for different LPARs and then varying those weights if necessary.
- iv. Applicant submits that Rooney fails to disclose the first limitation of claim 16. The cited portion of the prior art discloses performance data that is used by the WLM. An example of this data usage by the WLM is given in the 1st-2nd paragraphs on page 572. The WLM maintains records regarding the resource consumption of each LPAR, and is able to reallocate the resources based on what is available (from other LPARS). Thus, Rooney discloses modeling consumption dependencies between LPARS.

Art Unit: 2128

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

1. Claims 1-22 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter. The Examiner asserts that the current state of the claim language is such that a reasonable interpretation of the claims would not result in any useful, concrete or tangible product.

Regarding claims 1, 7, and 12, calculating a resource percentage time, a time slice percentage, a CP percentage, and then possibly causing the computer to not dispatch CPs does not produce a tangible output. Regarding claims 16, 17, 18, and 22, repeating the claimed steps until the observed consumption agrees with the defined consumption does not produce a tangible result.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claim(s) 1, 2, 7, 12, and 20-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rooney ('Intelligent Resource Director', 2002).

Regarding claim 1:

Rooney discloses a method for modeling a behavior of an LPAR (logical partition) in a simulated computer operating in a time slice dispatch mode, comprising:

Art Unit: 2128

a. beginning a next modeling interval (page 572 'State Sampling')

b. calculating a resource percentage representing a percentage of total resources allocated to

the LPAR (page 573 'Maximum Processor Demand' paragraph 2:

maximum demand percentage)

c. calculating a time slice percentage for the LPAR based on the resource percentage (page

573 paragraph 1: processor_using_samples)

d. determining a CP (central processor) percentage representing a percentage of time that all

physical CPs in the computer being modeled have been allocated to the LPAR (page 572

'State Sampling'). Four times a second, every work unit in the system is sampled, to

learn where each service class is spending its time and how much each class is using

each resource.

Rooney does not explicitly disclose comparing the CP percentage and the slice percentage to then

accordingly allocate resources. However, a skilled artisan would knowingly have included this

functionality because if the required resources (slice percentage) are greater than the available resources

(CP percentage), then the CPs cannot be allocated to the LPAR.

Regarding claim 2:

Rooney discloses the method of claim 1, including the further step of repeating each of the

recited steps for a next modeling interval. (page 572 'State Sampling'). Four times a second, every work

unit in the system is sampled, to learn where each service class is spending its time and how much each

class is using each resource. Thus, the above process is repeated.

Regarding claim 7:

Art Unit: 2128

Rooney discloses a tool for simulating operation of a computer having a system for modeling a behavior of an LPAR operating in a time slice dispatch mode, the modeling system comprising:

- a. a system for calculating a resource percentage representing a percentage of total
 resources allocated to the LPAR (page 573 'Maximum Processor Demand' paragraph
 2: maximum demand_percentage)
- b. a system for calculating a time slice percentage for the LPAR based on the resource percentage (page 573 paragraph 1: processor_using_samples)
- c. a system for determining a CP (central processor) percentage representing a percentage of time that all physical CPs in the computer being modeled have been allocated to the LPAR (page 572 'State Sampling'). Four times a second, every work unit in the system is sampled, to learn where each service class is spending its time and how much each class is using each resource.

Rooney does not explicitly disclose comparing the CP percentage and the slice percentage to then accordingly allocate resources. However, a skilled artisan would knowingly have included this functionality because if the required resources (slice percentage) are greater than the available resources (CP percentage), then the CPs cannot be allocated to the LPAR.

Regarding claim 12:

Rooney discloses a program product stored on a recordable medium for modeling a behavior of an LPAR in a simulated computer operating in a time slice dispatch mode, comprising:

a. means for calculating a resource percentage representing a percentage of total resources allocated to the LPAR (page 573 'Maximum Processor Demand' paragraph 2:
 maximum_demand_percentage)

Art Unit: 2128

b. means for calculating a time slice percentage for the LPAR based on the resource percentage (page 573 paragraph 1: processor using samples)

Page 7

c. means for determining a CP (central processor) percentage representing a percentage of time that all physical CPs in the computer being modeled have been allocated to the LPAR (page 572 'State Sampling'). Four times a second, every work unit in the system is sampled, to learn where each service class is spending its time and how much each class is using each resource.

Rooney does not explicitly disclose comparing the CP percentage and the slice percentage to then accordingly allocate resources. However, a skilled artisan would knowingly have included this functionality because if the required resources (slice percentage) are greater than the available resources (CP percentage), then the CPs cannot be allocated to the LPAR.

Regarding claims 20-22:

Rooney discloses a computer simulation tool for modeling LPAR behavior comprising:

- a. means for calculating a resource percentage representing a percentage of total resources allocated to the LPAR (page 573 'Maximum Processor Demand' paragraph 2:
 maximum_demand_percentage)
- b. means for calculating a time slice percentage for the LPAR based on the resource percentage (page 573 paragraph 1: processor using samples)
- c. means for determining a CP (central processor) percentage representing a percentage of time that all physical CPs in the computer being modeled have been allocated to the LPAR (page 572 'State Sampling'). Four times a second, every work unit in the system is sampled, to learn where each service class is spending its time and how much each class is using each resource.

Art Unit: 2128

d. means for building a model for each LPAR specified in the computer simulation, wherein each model includes a defined consumption that is dependent on a consumption of the other LPARs (page 575 2nd paragraph)

- e. means for running each model and determining an observed consumption for each model

 (page 571 'WLM CPU weight-management configuration' 2nd paragraph initial

 weight and current weight)
- f. means for comparing the observed consumption with the defined consumption for all of the models (page 575 'Receiver Processing' 1st paragraph). The LPAR weight fix routine determines whether the receiver CPU delay bottleneck can be addressed by raising the partition processor weight (consumption).
- a. means for feeding back the observed consumption to the other models from each model that has an observed consumption that does not agree with the defined consumption (page 575 'Donor Selection'). After it has been determined that the weight (consumption) of a service class needs to be increased, a donor whose weight (consumption) must be reduced as a result of this increase is selected.
- b. means for adjusting the defined consumption of each model based on the feedback (page 576 'Donor Projections' 1st paragraph). If a good trade is found, the partition weights of the receiver and donor are adjusted
- c. means for iteratively repeating the running, comparing, feeding and adjusting steps until the observed consumption agrees with the defined consumption for each model. (page 572 'Policy-adjustment framework'). This is repeated every ten seconds for every receiver class in need of resource allocation.

Rooney does not explicitly disclose comparing the CP percentage and the slice percentage to then accordingly allocate resources. However, a skilled artisan would knowingly have included this

Art Unit: 2128

functionality because if the required resources (slice percentage) are greater than the available resources (CP percentage), then the CPs cannot be allocated to the LPAR.

3. Claims 3-6, 8-11, and 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rooney ('Intelligent Resource Director', 2002) in view of Kyne ('z/OS Intelligent Resource Director', 2001).

Regarding claim 3:

Rooney does not explicitly disclose setting the resource percentage equal to 100% - a percentage of resources allocated to all other LPARs running in the simulated computer. Kyne teaches dividing the total amount of resources available (100%) among the LPARs running on the system (Kyne: page 61 table at bottom of page). At the time of the invention, it would have been obvious to one of ordinary skill in the art to combine the teachings of Rooney and Kyne because the method taught by Kyne provides the ability to drive a processor at 100% while providing acceptable response times for the critical applications, and ensures that all resources are utilized by the right workloads (Kyne: page 4 1st paragraph).

Regarding claim 4:

The combination of Rooney and Kyne as applied to claim 3 above teaches basing the percentage of resources allocated to other LPARs on a weighting factor specified for each LPAR (Kyne: page 26 3rd paragraph), a number of logical CPs allocated to each LPAR (Kyne: page 48 4th paragraph), and a MIPS value for each LPAR (page 61 table at bottom of page).

Regarding claim 5:

Art Unit: 2128

The combination of Rooney and Kyne as applied to claim 4 above teaches the method of claim 4, wherein the MIPS value represents a maximum consumption that each LPAR could consume in an unrestrained processor (Kyne: page 65 2nd paragraph).

Regarding claim 6:

Rooney fails to explicity disclose: time slice percentage = (resource percentage) * (# of physical CPs) / (# of logical CPs). Kyne teaches calculating the time slice percentage through the preceding equation (Kyne: page 55). At the time of the invention, it would have been obvious to one of ordinary skill in the art to combine the teachings of Rooney and Kyne because the method taught by Kyne provides the ability to drive a processor at 100% while providing acceptable response times for the critical applications, and ensures that all resources are utilized by the right workloads (Kyne: page 4 1st paragraph).

Regarding claim 8:

Rooney does not explicitly disclose setting the resource percentage equal to 100% - a percentage of resources allocated to all other LPARs running in the simulated computer. Kyne teaches dividing the total amount of resources available (100%) among the LPARs running on the system (Kyne: page 61 table at bottom of page). At the time of the invention, it would have been obvious to one of ordinary skill in the art to combine the teachings of Rooney and Kyne because the method taught by Kyne provides the ability to drive a processor at 100% while providing acceptable response times for the critical applications, and ensures that all resources are utilized by the right workloads (Kyne: page 4 1st paragraph).

Regarding claim 9:

Art Unit: 2128

The combination of Rooney and Kyne as applied to claim 8 above teaches basing the percentage of resources allocated to other LPARs on a weighting factor specified for each LPAR (Kyne: page 26 3rd paragraph), a number of logical CPs allocated to each LPAR (Kyne: page 48 4th paragraph), and a MIPS value for each LPAR (page 61 table at bottom of page).

Regarding claim 10:

The combination of Rooney and Kyne as applied to claim 9 above teaches the tool of claim 9, wherein the MIPS value represents a maximum consumption that each LPAR could consume in an unrestrained processor (Kyne: page 65 2nd paragraph).

Regarding claim 11:

Rooney does not explicitly disclose setting the resource percentage equal to 100% - a percentage of resources allocated to all other LPARs running in the simulated computer. Kyne teaches dividing the total amount of resources available (100%) among the LPARs running on the system (Kyne: page 61 table at bottom of page). At the time of the invention, it would have been obvious to one of ordinary skill in the art to combine the teachings of Rooney and Kyne because the method taught by Kyne provides the ability to drive a processor at 100% while providing acceptable response times for the critical applications, and ensures that all resources are utilized by the right workloads (Kyne: page 4 1st paragraph).

Regarding claim 13:

Rooney does not explicitly disclose setting the resource percentage equal to 100% - a percentage of resources allocated to all other LPARs running in the simulated computer. Kyne teaches dividing the total amount of resources available (100%) among the LPARs running on the system (Kyne: page 61

Art Unit: 2128

table at bottom of page). At the time of the invention, it would have been obvious to one of ordinary skill in the art to combine the teachings of Rooney and Kyne because the method taught by Kyne provides the ability to drive a processor at 100% while providing acceptable response times for the critical applications, and ensures that all resources are utilized by the right workloads (Kyne: page 4 1st paragraph).

Regarding claim 14:

The combination of Rooney and Kyne as applied to claim 13 above teaches basing the percentage of resources allocated to other LPARs on a weighting factor specified for each LPAR (Kyne: page 26 3rd paragraph), a number of logical CPs allocated to each LPAR (Kyne: page 48 4th paragraph), and a MIPS value for each LPAR (page 61 table at bottom of page).

Regarding claim 15:

Rooney does not explicitly disclose setting the resource percentage equal to 100% - a percentage of resources allocated to all other LPARs running in the simulated computer. Kyne teaches dividing the total amount of resources available (100%) among the LPARs running on the system (Kyne: page 61 table at bottom of page). At the time of the invention, it would have been obvious to one of ordinary skill in the art to combine the teachings of Rooney and Kyne because the method taught by Kyne provides the ability to drive a processor at 100% while providing acceptable response times for the critical applications, and ensures that all resources are utilized by the right workloads (Kyne: page 4 1st paragraph).

Art Unit: 2128

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claim 16-19 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Rooney ('Intelligent Resource Director', 2002).

Regarding claim 16:

Rooney discloses a method for modeling workload performance of a plurality of LPARs in a computer simulation, comprising

- a. providing a model for each LPAR specified in the computer simulation, wherein each model includes a defined consumption that is dependent on a consumption of the other LPARs (page 575 2nd paragraph)
- b. setting an initial defined consumption for each model, and running each model and determining an observed consumption for each model (page 571 'WLM CPU weightmanagement configuration' 2nd paragraph initial weight and current weight)
- c. comparing the observed consumption with the defined consumption for all of the models (page 575 'Receiver Processing' 1st paragraph). The LPAR weight fix routine determines whether the receiver CPU delay bottleneck can be addressed by raising the partition processor weight (consumption).
- d. for each model that has an observed consumption that does not agree with the defined consumption, feeding the observed consumption back to the other models (page 575

'Donor Selection'). After it has been determined that the weight (consumption) of a service class needs to be increased, a donor whose weight (consumption) must be reduced as a result of this increase is selected.

- e. adjusting the defined consumption of each model based on the feedback (page 576
 'Donor Projections' 1st paragraph). If a good trade is found, the partition weights of the receiver and donor are adjusted.
- f. iteratively repeating the running, comparing, feeding and adjusting steps until the observed consumption agrees with the defined consumption for each model. (page 572 'Policy-adjustment framework'). This is repeated every ten seconds for every receiver class in need of resource allocation.

Regarding claim 17:

Rooney discloses the method of claim 16, wherein the consumption is a measure of processor resources consumed by each LPAR (page 571 'WLM CPU weight-management configuration' 2nd paragraph).

Regarding claim 18:

Rooney discloses a computer simulation tool for modeling workload performance of a plurality of LPARs in a computer simulation, comprising

a system for building a model for each LPAR specified in the computer simulation,
 wherein each model includes a defined consumption that is dependent on a consumption of the other LPARs (page 575 2nd paragraph)

Art Unit: 2128

 a system for running each model and determining an observed consumption for each model (page 571 'WLM CPU weight-management configuration' 2nd paragraph initial weight and current weight)

- c. a system for comparing the observed consumption with the defined consumption for all of the models (page 575 'Receiver Processing' 1st paragraph). The LPAR weight fix routine determines whether the receiver CPU delay bottleneck can be addressed by raising the partition processor weight (consumption).
- d. a system for feeding back the observed consumption to the other models from each model that has an observed consumption that does not agree with the defined consumption (page 575 'Donor Selection'). After it has been determined that the weight (consumption) of a service class needs to be increased, a donor whose weight (consumption) must be reduced as a result of this increase is selected.
- e. a system for adjusting the defined consumption of each model based on the feedback

 (page 576 'Donor Projections' 1st paragraph). If a good trade is found, the partition
 weights of the receiver and donor are adjusted.
- f. a system for iteratively repeating the running, comparing, feeding and adjusting steps until the observed consumption agrees with the defined consumption for each model.
 (page 572 'Policy-adjustment framework'). This is repeated every ten seconds for every receiver class in need of resource allocation.

Regarding claim 19:

Rooney discloses a program product stored on a recordable medium for modeling workload performance of a plurality of LPARs in a computer simulation, comprising

Art Unit: 2128

- d. means for building a model for each LPAR specified in the computer simulation, wherein each model includes a defined consumption that is dependent on a consumption of the other LPARs (page 575 2nd paragraph)
- e. means for running each model and determining an observed consumption for each model

 (page 571 'WLM CPU weight-management configuration' 2nd paragraph initial

 weight and current weight)
- f. means for comparing the observed consumption with the defined consumption for all of the models (page 575 'Receiver Processing' 1st paragraph). The LPAR weight fix routine determines whether the receiver CPU delay bottleneck can be addressed by raising the partition processor weight (consumption).
- g. means for feeding back the observed consumption to the other models from each model that has an observed consumption that does not agree with the defined consumption (page 575 'Donor Selection'). After it has been determined that the weight (consumption) of a service class needs to be increased, a donor whose weight (consumption) must be reduced as a result of this increase is selected.
- h. means for adjusting the defined consumption of each model based on the feedback (page 576 'Donor Projections' 1st paragraph). If a good trade is found, the partition weights of the receiver and donor are adjusted
- i. means for iteratively repeating the running, comparing, feeding and adjusting steps until the observed consumption agrees with the defined consumption for each model. (page 572 'Policy-adjustment framework'). This is repeated every ten seconds for every receiver class in need of resource allocation.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shambhavi Patel whose telephone number is (571) 272-5877. The examiner can normally be reached on Monday-Friday, 8:00 am - 4:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kamini Shah can be reached on (571)272-2279. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pairdirect.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SKP

Shambhavi Patel Examiner Art Unit 2128